



Experience The
Elegance Of Luxury
In Every Water Drop

E-mail :
gangaindustriesrajkot@gmail.com
info@gangabathfittings.com

Web :
www.gangabathfittings.com

 /StepianBathFittings

 /stepianbathfittings

Powered By:
GANGA
Redefining Bathing Experience

Location :
Survey No. 121, Nr. Vraj Industrial Estate,
Veraval (Shapar), Pin : 360024
Dist.: Rajkot (Gujarat) INDIA.

For Inquiry :
93741 93741

Customer Care Number :
76000 58000

 **Stepian**
One Step Ahead With Ganga



INNOVATIVE DESIGN
FOR EXCEPTIONAL WATER FLOW

W.E.F. : 01-04-2023

CATALOGUE
2023-2024



INDULGE IN
LUXURY
AND ELEVATE
YOUR EVERYDAY
EXPERIENCE
WITH
**OUR PREMIUM
FAUCETS**

We have become a trusted name in the faucet market. We are dedicated to providing our customers with reliable, durable faucets that are built to last.

Our products are crafted with the latest technologies and materials, and we are committed to sustainable manufacturing practices that reduce our environmental impact. Our team of expert designers and engineers work tirelessly to create faucets that meet the needs of our customers.

At the heart of our brand are our core values: quality, design, and innovation. We believe that a great faucet should not only look beautiful, but also function flawlessly. Our faucets are designed to meet the highest standards of performance and style.

INNOVATION MEETS
BEAUTY IN
OUR **WIDE RANGE** OF
FAUCET OPTIONS





BEAUTY IN OUR
FAUCETS

Table Of **Content**



Rubic Collection
06-07



Opera Collection
08-09



Bliss Collection
10-11



Nexus Collection
12-13



Orion Collection
14-15



**Spout & Allied
Collection**
16

Rubic Collection (15 MM Cartridge)



Design That Inspires,
Quality That Endures.



Cat. No. : ST-101
Bib Cock With Wall Flange
MRP. : 725



Cat. No. : ST-102
Pillar Cock
MRP. : 1050



Cat. No. : ST-103
Angular Stop Cock With Flange
MRP. : 545



Cat. No. : ST-104
Bib Cock Long Body
With Wall Flange
MRP. : 810



Cat. No. : ST-105
2 in 1 Bib Cock With Wall Flange
MRP. : 1020



Cat. No. : ST-106
Concealed Stop Cock
With Adjustable Wall Flange
MRP. : 1015



Cat. No. : ST-107
Sink Cock With
Regular Swinging Spout
(Wall Mounted)
MRP. : 1500



Cat. No. : ST-108
Sink Cock With
Regular Swinging Spout
(Table Mounted)
MRP. : 1650



Cat. No. : ST-109
Sink Mixer With Regular
Swinging Spout
(Wall Mounted)
MRP. : 3205



Cat. No. : ST-110
Wall Mixer With Bend For
Arrangement Of
Overhead Shower
MRP. : 4270



Cat. No. : ST-111
Flush Cock (Light)
MRP. : 1545



Cat.No. : ST-112
Flush Cock (Heavy)
MRP. : 2055



Cat. No. : ST-113
Single Lever Concealed
Divertor Upper Parts
(Handle + Flange +
Sleeve + Tiptop Parts)
MRP. : 1315



Cat. No. : ST-114
High Flow Single Lever
Concealed Divertor
Body + Upper Parts
(Complete Set)
(45 MM Cartridge)
MRP. : 6225



Cat. No. : ST-115
Pillar Cock With
Extension Body
MRP. : 2000



Cat. No. : ST-116
Central Hole Basin Mixer
With Regular Spout With
450 mm Braided Hoses
MRP. : 2805



Cat. No. : ST-117
Sink Cock With
Regular Swinging Spout
With Wall Flange
(Wall Mounted) LEFT
MRP. : 1890



Cat. No. : ST-118
Sink Cock With
Regular Swinging Spout
With Wall Flange
(Wall Mounted) RIGHT
MRP. : 1895



Cat. No. : ST-119
2 way Angle Cock
MRP. : 1180



Cat. No. : ST-120
Nozzle Bib Cock
MRP. : 780



Cat. No. : ST-121
Concealed Wall Mixer
With
Wall Flange Complete
MRP. : 4225



Cat. No. : ST-122
High-pressure Flush Cock
(Ceramic Cartridge) &
Adjustable Wall Flange
(36 MM Cartridge)
MRP. : 2645

Opera Collection (15 MM Cartridge)



Turn Your Kitchen Or Bathroom Into A Haven Of Luxury.



Cat. No. : ST-209
Sink Mixer With Regular Swinging Spout (Wall Mounted)

MRP. : 3330



Cat. No. : ST-210
Wall Mixer With Bend For Arrangement Of Overhead Shower

MRP. : 4360



Cat. No. : ST-211
Flush Cock (Light)

MRP. : 1595



Cat. No. : ST-212
Flush Cock (Heavy)

MRP. : 2100



Cat. No. : ST-213
Single Lever Concealed Divertor Upper Parts (Handle + Flange + Sleeve + Tiptop Parts)

MRP. : 1315



Cat. No. : ST-214
High Flow Single Lever Concealed Divertor Body + Upper Parts (Complete Set) (45 MM Cartridge)

MRP. : 6225



Cat. No. : ST-215
Pillar Cock With Extension Body

MRP. : 2030



Cat. No. : ST-216
Central Hole Basin Mixer With Regular Spout With 450 mm Braided Hoses

MRP. : 2925



Cat. No. : ST-201
Bib Cock With Wall Flange

MRP. : 765



Cat. No. : ST-202
Pillar Cock

MRP. : 1100



Cat. No. : ST-203
Angular Stop Cock With Flange

MRP. : 600



Cat. No. : ST-204
Bib Cock Long Body With Wall Flange

MRP. : 865



Cat. No. : ST-217
Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) LEFT

MRP. : 1935



Cat. No. : ST-218
Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) RIGHT

MRP. : 1940



Cat. No. : ST-219
2 way Angle Cock

MRP. : 1280



Cat. No. : ST-220
Nozzle Bib Cock

MRP. : 835



Cat. No. : ST-205
2 in 1 Bib Cock With Wall Flange

MRP. : 1055



Cat. No. : ST-206
Concealed Stop Cock With Adjustable Wall Flange

MRP. : 1060



Cat. No. : ST-207
Sink Cock With Regular Swinging Spout (Wall Mounted)

MRP. : 1550



Cat. No. : ST-208
Sink Cock With Regular Swinging Spout (Table Mounted)

MRP. : 1695



Cat. No. : ST-221
Concealed Wall Mixer With Wall Flange Complete

MRP. : 4255



Cat. No. : ST-222
High-pressure Flush Cock (Ceramic Cartridge) & Adjustable Wall Flange (36 MM Cartridge)

MRP. : 2660

Bliss Collection (15 MM Cartridge)



Cat. No. : ST-309
Sink Mixer With Regular Swinging Spout (Wall Mounted)

MRP. : 3280



Cat. No. : ST-310
Wall Mixer With Bend For Arrangement Of Overhead Shower

MRP. : 4355



Cat. No. : ST-311
Flush Cock (Light)

MRP. : 1575



Cat. No. : ST-312
Flush Cock (Heavy)

MRP. : 2085



Cat. No. : ST-313
Single Lever Concealed Divertor Upper Parts (Handle + Flange + Sleeve + Tiptop Parts)

MRP. : 1430



Cat. No. : ST-314
High Flow Single Lever Concealed Divertor Body + Upper Parts (Complete Set) (45 MM Cartridge)

MRP. : 6355



Cat. No. : ST-315
Pillar Cock With Extension Body

MRP. : 2115



Cat. No. : ST-316
Central Hole Basin Mixer With Regular Spout With 450 mm Braided Hoses

MRP. : 2855



Cat. No. : ST-301
Bib Cock With Wall Flange

MRP. : 790



Cat. No. : ST-302
Pillar Cock

MRP. : 1075



Cat. No. : ST-303
Angular Stop Cock With Flange

MRP. : 570



Cat. No. : ST-304
Bib Cock Long Body With Wall Flange

MRP. : 890



Cat. No. : ST-317
Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) LEFT

MRP. : 1905



Cat. No. : ST-318
Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) RIGHT

MRP. : 1900



Cat. No. : ST-319
2 way Angle Cock

MRP. : 1230



Cat. No. : ST-320
Nozzle Bib Cock

MRP. : 805



Cat. No. : ST-305
2 in 1 Bib Cock With Wall Flange

MRP. : 970



Cat. No. : ST-306
Concealed Stop Cock With Adjustable Wall Flange

MRP. : 1030



Cat. No. : ST-307
Sink Cock With Regular Swinging Spout (Wall Mounted)

MRP. : 1515



Cat. No. : ST-308
Sink Cock With Regular Swinging Spout (Table Mounted)

MRP. : 1660



Cat. No. : ST-321
Concealed Wall Mixer With Wall Flange Complete

MRP. : 4285



Cat. No. : ST-322
High-pressure Flush Cock (Ceramic Cartridge) & Adjustable Wall Flange (36 MM Cartridge)

MRP. : 2790

Nexus Collection (15 MM Cartridge)



Innovative Designs
For Modern Living.



Cat. No. : ST-409
Sink Mixer With Regular
Swinging Spout
(Wall Mounted)

MRP. : 3330



Cat. No. : ST-410
Wall Mixer With Bend For
Arrangement Of
Overhead Shower

MRP. : 4415



Cat. No. : ST-411
Flush Cock (Light)

MRP. : 1585



Cat. No. : ST-412
Flush Cock (Heavy)

MRP. : 2095



Cat. No. : ST-413
Single Lever Concealed
Diverter Upper Parts
(Handle + Flange +
Sleeve + Tiptop Parts)

MRP. : 1430



Cat. No. : ST-414
High Flow Single Lever
Concealed Divertor
Body + Upper Parts
(Complete Set)
(45 MM Cartridge)

MRP. : 6355



Cat. No. : ST-415
Pillar Cock With
Extension Body

MRP. : 2145



Cat. No. : ST-416
Central Hole Basin Mixer
With Regular Spout With
450 mm Braided Hoses

MRP. : 2900



Cat. No. : ST-401
Bib Cock With Wall Flange

MRP. : 815



Cat. No. : ST-402
Pillar Cock

MRP. : 1095



Cat. No. : ST-403
Angular Stop Cock With Flange

MRP. : 590



Cat. No. : ST-404
Bib Cock Long Body
With Wall Flange

MRP. : 905



Cat. No. : ST-417
Sink Cock With
Regular Swinging Spout
With Wall Flange
(Wall Mounted) LEFT

MRP. : 1930



Cat. No. : ST-418
Sink Cock With
Regular Swinging Spout
With Wall Flange
(Wall Mounted) RIGHT

MRP. : 1925



Cat. No. : ST-419
2 Way Angle Cock

MRP. : 1280



Cat. No. : ST-420
Nozzle Bib Cock

MRP. : 835



Cat. No. : ST-405
2 in 1 Bib Cock With Wall Flange

MRP. : 960



Cat. No. : ST-406
Concealed Stop Cock
With Adjustable Wall Flange

MRP. : 1055



Cat. No. : ST-407
Sink Cock With
Regular Swinging Spout
(Wall Mounted)

MRP. : 1550



Cat. No. : ST-408
Sink Cock With
Regular Swinging Spout
(Table Mounted)

MRP. : 1690



Cat. No. : ST-421
Concealed Wall Mixer
With
Wall Flange Complete

MRP. : 4300



Cat. No. : ST-422
High-pressure Flush Cock
(Ceramic Cartridge) &
Adjustable Wall Flange
(36 MM Cartridge)

MRP. : 2805

Orion Collection (15 MM Cartridge)



Cat. No. : ST-509
Sink Mixer With Regular
Swinging Spout
(Wall Mounted)

MRP. : 3225



Cat. No. : ST-510
Wall Mixer With Bend For
Arrangement Of
Overhead Shower

MRP. : 4260



Cat. No. : ST-511
Flush Cock (Light)

MRP. : 1555



Cat. No. : ST-512
Flush Cock (Heavy)

MRP. : 2085



Cat. No. : ST-515
Pillar Cock With
Extension Body

MRP. : 2160



Cat. No. : ST-516
Central Hole Basin Mixer
With Regular Spout With
450 mm Braided Hoses

MRP. : 2795



Cat. No. : ST-517
Sink Cock With
Regular Swinging Spout
With Wall Flange
(Wall Mounted) LEFT

MRP. : 1875



Cat. No. : ST-518
Sink Cock With
Regular Swinging Spout
With Wall Flange
(Wall Mounted) RIGHT

MRP. : 1870



Cat. No. : ST-501
Bib Cock With Wall Flange

MRP. : 820



Cat. No. : ST-502
Pillar Cock

MRP. : 1000



Cat. No. : ST-503
Angular Stop Cock With Flange

MRP. : 540



Cat. No. : ST-504
Bib Cock Long Body
With Wall Flange

MRP. : 955



Cat. No. : ST-519
2 Way Angle Cock

MRP. : 1175



Cat. No. : ST-520
Nozzle Bib Cock

MRP. : 780



Cat. No. : ST-521
Concealed Wall Mixer
With
Wall Flange Complete

MRP. : 4315



Cat. No. : ST-522
High-pressure Flush Cock
(Ceramic Cartridge) &
Adjustable Wall Flange
(36 MM Cartridge)

MRP. : 2820



Cat. No. : ST-505
2 Way Bib Cock With Wall Flange

MRP. : 1345



Cat. No. : ST-506
Concealed Stop Cock
With Adjustable Wall Flange

MRP. : 1000



Cat. No. : ST-507
Sink Cock With
Regular Swinging Spout
(Wall Mounted)

MRP. : 1490



Cat. No. : ST-508
Sink Cock With
Regular Swinging Spout
(Table Mounted)

MRP. : 1610

Spout Collection




Cat. No. : ST-01
Bath Tub Spout With Wall Flange
MRP. : 1025



Cat. No. : ST-02
Bath Tub Spout With Wall Flange
MRP. : 1455

Allied Collection



Cat. No. : ST-11
Single Lever Concealed Divertor Body
(40mm Cartridge + Tipton Cartridge)
MRP. : 4295



Cat. No. : ST-12
Metropole Flush Valve (Concealed Body)
With Control Cock (40mm)
Operation Plate (Round) 1.5"
MRP. : 3660

Warranty Terms & Conditions :



Stepian Faucets 7 Years Warranty

- The product is warranted by STEPIAN INDUSTRIES to be free of defects in material and workmanship for a period of 7 years from the date of purchase. during this period and under normal use, if the product is found to be of faulty manufacture, the same will be repaired or replaced upon proof of purchase, at our option, without charge either for part or labour.
- The warranty will be void and not valid, and STEPIAN INDUSTRIES will have no liability if the product is not installed, operated or maintained and serviced in compliance with instructions and recommendations of STEPIAN INDUSTRIES for trouble free fittings
- Modifications, repairs or service are made to the product, nature of the product/logo has been altered, defaced or removed, or the warranty card has been altered.
- Problems arising form normal wear and tear, improper maintenance or improper use/application of product or components of the same or use of poor/bad quality of water.
- The product has been installed and operated outside its designated plumbing conditions and parameters.
- In Case of any Dispute, this Warranty is Subject to Jurisdiction of Rajkot Courts Only.

Awards

Faith is the greatest award when it comes to customer loyalty.



Parts Of Faucets

Quarter Turn Fitting :

We use the top-class Ceramic Cartridge in the world, which is with fine quality for unvarying use with quality guaranteed through 100% Water tightness tested under water pressure. The rigidity of the cartridge are high, Even under using condition with unstable water pressure, performing life 5,00,000 operating times are guaranteed.

All the metal parts of the internal cartridge, are made of extruded brass rod ensuring flawless performance for a



Features :

- Standard : 1/2", 3/4" and different length
 - Main Material : Brass
 - Ceramic Material : Al2O3 97%
 - Water Pressure : 0.4 Mpa.
- Specially designed Ceramic Disc Cartridge of 47mm dia ensures 15-20% increase in water flow even at low pressure.



Features :

- Maximum Opening Angle : 25°
- Maximum Rotating Angle : 100°
- Tightening Torque of Nut : 8-12 N-m
- Temperature of Cold Water : 10°C
- Temperature of Hot Water : 75°C
- Water Pressure : 0.3 Mpa.

Specially designed for new shape. It have a good water delivery at any pressure, good handling and working as well, Still after many years.



Installation of Cartridge :

- Maximum Hot Water Temperature 80°C
- Maximum Cold Water Temperature 10°C
- Water Pressure Minimum 0.1 bar, Maximum : 10 bar

Ceramic Disc Specification :

- 95% Alumina | 75-85 Hardness R45N | 0% Open Porosity.
- Operating Temperature is 5°C to 80°C
- Internal part of cartridge along with housing of extruded forged brass.
- Uniform Water Passage is as per standard specification.
- For all range free of cost after sales services is provided by the company for 7 years for company fault only.
- Stepian use world class quality NEOPERL-Aerator for best water flow.



Consumer Guideline

STEPIAN provides most excellent faucets with the use of contemporary technology. STEPIAN always believes in customer satisfaction. Company's skilled executives are constant interface with customers. STEPIAN also believes that consumers must get the best out of its products. Followings are the general instructions carefully followed by the consumers to get optimum results of the products.

General Instructions :

- Use 25mm pipes rather than 20mm to ensure better water flow and to overcome reduction in dia of pipeline due to scaling inside the pipeline.
- Keep the minimum number of bends in the pipelines and make it travel straight and vertical as far as possible.
- All the supply must have vent pipes. These vent pipes help in removing air-locking in the water supply to give a flow of water from the fittings.
- Test the working of all the concealed fittings installed on a high pressure for leakage before plastering or fixing the line
- Clean the aerators provided in the items at regular intervals for a perfect foam flow of water from the fittings.
- Place the outlet point in the overhead tank at least 25cm above the ground level of the tank. This prevents the flow of foreign particles, sand etc., along with water supply into the fittings and thereby preventing the possible damage to the working parts. Clean the tank thoroughly before the supply starts. It is suggested that the overhead tank must be cleaned at regular interval to avoid deposition of foreign particles.
- Clean the fittings regularly with normal soap or chalk powder to remove scaling/stains. Do not use strong detergents as this may cause damage to the chromium finish provided in all STEPIAN products.
- Do not use harsh cleaning agents containing abrasive and acids, instead use a soft sponge or wet cloth with soapy water/diluted vinegar to protect the colour coated finish.
- To protect the fine finish of fittings from dirt stains and other damages, cover them with cloth/polypack after their installation till they come into actual use.
- It is suggested that centre to center distance for hot & cold inter for all types of wall mounted mixers should be maintained at 165mm in which case any of our wall mixers from different ranges can be easily installed without any problem.
- Please buy STEPIAN products from company's authorized dealers only to ensure genuine quality material.