





FAUCETS

INDULGE IN LUXURY AND ELEVATE YOUR EVERYDAY EXPERIENCE WITH OUR PREMIUM

We have become a trusted name in the faucet market. We are dedicated to providing our customers with reliable, durable faucets that are built to last.

Our products are crafted with the latest technologies and materials, and we are committed to sustainable manufacturing practices that reduce our environmental impact. Our team of expert designers and engineers work tirelessly to create faucets that meet the needs of our customers.

At the heart of our brand are our core values: quality, design, and innovation. We believe that a great faucet should not only look beautiful, but also function flawlessly. our faucets are designed to meet the highest standards of performance and style.

INNOVATION MEETS BEAUTY IN OUR WIDE RANGE OF FAUCET OPTIONS





Table Of **Content**



Rubic Collection



Opera Collection



Bliss Collection



Nexus Collection



Orion Collection 4-5



Spout & Allied Collection

Rubic Collection (15 MM Cartridge)





Cat. No.: ST-101
Bib Cock With Wall Flange

MRP.: 800



Cat. No.: ST-102 Pillar Cock

MRP.: 1160



Cat. No. : ST-103

Angular Stop Cock With Flange

MRP.: 600



Cat. No.: ST-104

Bib Cock Long Body With Wa**ll Fl**ange

MRP.: 890



Cat. No. : ST-105

2 in 1 Bib Cock With Wall Flange

MRP: 1120



Cat. No. : ST-106

Concealed Stop Cock With Adjustable Wall Flange

MRP.: 1120



Cat. No.: ST-107

Sink Cock With Regular Swinging Spout (Wall Mounted)

MRP.: 1650



Cat. No.: ST-108

Sink Cock With Regular Swinging Spout (Table Mounted)





Cat. No.: ST-109 Sink Mixer With Regular Swinging Spout (Wall Mounted)



Cat. No.: ST-110
Wall Mixer With Bend For
Arrangement Of
Overhead Shower

MRP.: 4700



Cat. No.: ST-111
Flush Cock (Light)

MRP.: 1700



Cat.No.: ST-112 Flush Cock (Heavy)

MRP.: 2260



Cat. No.: ST-113

Single Lever Concealed Divertor Upper Parts (Handle + Flange + Sleev + Tiptop Parts)

MRP.: 1450



Cat. No.: ST-114

High Flow Single Lever Concealed Divertor Body + Upper Parts (Complete Set) (45 MM Cartridge)

MRP.: 6850



Cat. No.: ST-115

Pillar Cock With Extension Body

MRP.: 2200



Cat. No.: ST-116

Central Hole Basin Mixer With Regular Spout With 450 mm Braided Hoses

MRP.: 3090



Cat. No.: ST-117

Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) LEFT

MRP.: 2080



Cat. No. : ST-118

Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) RIGHT

MRP.: 2080



Cat. No. : ST-119

2 way Angle Cock

MRP.: 1300



Cat. No.: ST-120

Nozz**l**e Bib Cock

MRP.: 860



Cat. No.: ST-121

Concealed Wall Mixer With Wall Flange Complete

MRP.: 4650



Cat. No.: ST-122

High-pressure Flush Cock (Ceramic Cartridge) & Adjustable Wall Flange (36 MM Cartridge)

MRP: 2910



Opera Collection (15 MM Cartridge)





Cat. No.: ST-201
Bib Cock With Wall Flange

MRP.: 840



Cat. No.: ST-202 Pillar Cock

.

MRP.: 1210



Cat. No. : ST-203

Angular Stop Cock With Flange

MRP.: 660



Cat. No.: ST-204

Bib Cock Long Body With Wa**ll Fl**ange

MRP.: 950



Cat. No. : ST-205

2 in 1 Bib Cock With Wa**ll** Flange

MRP.: 1160



Cat. No. : ST-206

Concealed Stop Cock With Adjustable Wall Flange

MRP.: 1170



Cat. No.: ST-207

Sink Cock With Regular Swinging Spout (Wall Mounted)

MRP.: 1710



Cat. No.: ST-208

Sink Cock With Regular Swinging Spout (Table Mounted)





Cat. No.: ST-209 Sink Mixer With Regular Swinging Spout (Wall Mounted)



Cat, No.: ST-210 Wall Mixer With Bend For Arrangement Of Overhead Shower

MRP.: 4800



Cat. No.: ST-211 Flush Cock (Light)

MRP.: 1750



Cat. No.: ST-212 Flush Cock (Heavy)

MRP.: 2310



Cat. No.: ST-213

Single Lever Concealed Divertor Upper Parts (Handle + Flange + Sleev + Tiptop Parts)

MRP.: 1450



Cat. No.: ST-214

High Flow Single Lever Concealed Divertor Body + Upper Parts (Complete Set) (45 MM Cartridge)

MRP.: 6850



Cat. No.: ST-215

Pillar Cock With Extension Body

MRP.: 2230



Cat. No.: ST-216

Central Hole Basin Mixer With Regular Spout With 450 mm Braided Hoses

MRP.: 3220



Cat. No.: ST-217

Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) LEFT

MRP.: 2130



Cat. No.: ST-218

Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) RIGHT

MRP.: 2130



Cat. No.: ST-219

2 way Angle Cock

MRP.: 1410



Cat. No.: ST-220

Nozz**l**e Bib Cock

MRP.: 920



Cat, No.: ST-221

Concealed Wall Mixer With Wall Flange Complete

MRP.: 4680



Cat. No.: ST-222

High-pressure Flush Cock (Ceramic Cartridge) & Adjustable Wall Flange



Bliss Collection (15 MM Cartridge)





Cat. No.: ST-301
Bib Cock With Wall Flange

MRP.: 870



Cat. No.: ST-302 Pillar Cock

MRP : 1180



Cat. No. : ST-303

Angular Stop Cock With Flange

MRP.: 630



Cat. No.: ST-304

Bib Cock Long Body With Wa**ll Fl**ange

MRP.: 980



Cat. No. : ST-305

2 in 1 Bib Cock With Wa**ll** Flange

MRP.: 1070



Cat. No. : ST-306

Concealed Stop Cock With Adjustable Wall Flange

MRP.: 1130



Cat. No.: ST-307

Sink Cock With Regular Swinging Spout (Wall Mounted)

MRP.: 1670



Cat. No.: ST-308

Sink Cock With Regular Swinging Spout (Table Mounted)





Cat. No.: ST-309 Sink Mixer With Regular Swinging Spout (Wall Mounted)



Cat. No.: ST-310

Wa**ll** Mixer With Bend For Arrangement Of Overhead Shower

MRP.: 4790



Cat. No.: ST-311
Flush Cock (Light)

MRP.: 1730



Cat. No.: ST-312 Flush Cock (Heavy)

MRP.: 2290



Cat. No.: ST-313

Single Lever Concealed Divertor Upper Parts (Handle + Flange + Sleev + Tiptop Parts)

MRP.: 1570



Cat. No.: ST-314

High Flow Single Lever Concealed Divertor Body + Upper Parts (Complete Set) (45 MM Cartridge)

MRP.: 6990



Cat. No.: ST-315

Pi**ll**ar Cock With Extension Body

MRP.: 2330



Cat. No.: ST-316

Central Hole Basin Mixer With Regular Spout With 450 mm Braided Hoses

MRP.: 3140



Cat. No.: ST-317

Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) LEFT

MRP.: 2100



Cat. No.: ST-318

Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) RIGHT

MRP.: 2090



Cat. No.: ST-319

2 way Angle Cock

MRP.: 1350



Cat. No. : ST-320

Nozz**l**e Bib Cock

MRP.: 890



Cat. No.: ST-321

Concealed Wall Mixer With Wall Flange Complete

MRP.: 4710



Cat. No.: ST-322

High-pressure Flush Cock (Ceramic Cartridge) & Adjustable Wall Flange (36 MM Cartridge)



Nexus Collection (15 MM Cartridge)





Cat. No.: ST-401
Bib Cock With Wall Flange

MRP.: 900



Cat. No.: ST-402 Pillar Cock

MRP : 1200



Cat. No. : ST-403

Angular Stop Cock With Flange

MRP.: 650



Cat. No.: ST-404

Bib Cock Long Body With Wa**ll** Flange

MRP.: 1000



Cat. No.: ST-405

2 in 1 Bib Cock With Wa**ll** Flange

MRP.: 1060



Cat. No. : ST-406

Concealed Stop Cock With Adjustable Wall Flange

MRP.: 1160



Cat. No.: ST-407

Sink Cock With Regular Swinging Spout (Wall Mounted)

MRP.: 1710



Cat. No.: ST-408

Sink Cock With Regular Swinging Spout (Table Mounted)





Cat. No.: ST-409 Sink Mixer With Regular Swinging Spout (Wall Mounted)



Cat. No.: ST-410

Wall Mixer With Bend For Arrangement Of Overhead Shower

MRP.: 4860



Cat. No.: ST-411 Flush Cock (Light)

MRP.: 1740



Cat. No.: ST-412

Flush Cock (Heavy)

MRP.: 2300



Cat. No.: ST-413

Single Lever Concealed Divertor Upper Parts (Handle + Flange + Sleev + Tiptop Parts)

MRP.: 1570



Cat. No.: ST-414

High Flow Single Lever Concealed Divertor Body + Upper Parts (Complete Set) (45 MM Cartridge)

MRP.: 6990



Cat. No.: ST-415

Pillar Cock With Extension Body

MRP.: 2360



Cat. No.: ST-416

Central Hole Basin Mixer With Regular Spout With 450 mm Braided Hoses

MRP.: 3190



Cat. No.: ST-417

Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) LEFT

MRP.: 2120



Cat. No.: ST-418

Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) RIGHT

MRP.: 2120



Cat. No.: ST-419

2 Way Angle Cock

MRP.: 1410



Cat. No.: ST-420

Nozz**l**e Bib Cock

MRP.: 920



Cat. No.: ST-421

Concealed Wall Mixer With Wall Flange Complete

MRP.: 4730



Cat. No.: ST-422

High-pressure Flush Cock (Ceramic Cartridge) & Adjustable Wall Flange (36 MM Cartridge)



Orion Collection (15 MM Cartridge)





Cat. No.: ST-501
Bib Cock With Wall Flange

MRP.: 900



Cat. No.: ST-502 Pillar Cock

MRP.: 1100

Tillar Gook



Cat. No. : ST-503

Angular Stop Cock With Flange

MRP.: 590



Cat. No.: ST-504

Bib Cock Long Body With Wa**ll Fl**ange

MRP.: 1050



Cat. No. : ST-505

2 Way Bib Cock With Wall Flange

MRP.: 1480



Cat. No. : ST-506

Concealed Stop Cock With Adjustable Wall Flange

MRP.: 1100



Cat. No.: ST-507

Sink Cock With Regular Swinging Spout (Wall Mounted)

MRP.: 1640



Cat. No.: ST-508

Sink Cock With Regular Swinging Spout (Table Mounted)





Cat. No.: ST-509 Sink Mixer With Regular Swinging Spout (Wall Mounted)



Cat. No.: ST-510
Wall Mixer With Bend For
Arrangement Of
Overhead Shower

MRP.: 4690



Cat. No.: ST-511
Flush Cock (Light)

MRP.: 1710



Cat. No.: ST-512 Flush Cock (Heavy)

MRP.: 2290



Cat. No.: ST-515

Pillar Cock With
Extension Body

MRP. : 2380



Cat. No.: ST-516

Central Hole Basin Mixer With Regular Spout With 450 mm Braided Hoses

MRP.: 3070



Cat. No. : ST-517

Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) LEFT

MRP.: 2060



Cat. No.: ST-518

Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) RIGHT

MRP.: 2060



Cat. No. : ST-519

2 Way Angle Cock

MRP.: 1290



Cat. No. : ST-520

Nozz**l**e Bib Cock

MRP.: 860



Cat. No.: ST-521

Concealed Wall Mixer With Wall Flange Complete

MRP.: 4750



Cat. No. : ST-522

High-pressure Flush Cock (Ceramic Cartridge) & Adjustable Wall Flange (36 MM Cartridge)

Spout Collection



Cat. No.: ST-01
Bath Tub Spout With Wall Flange

MRP.: 1130



Cat. No. : ST-02

Bath Tub Spout With Wall Flange

MRP.: 1600

Allied Collection



Cat. No.: ST-11

Single Lever Concealed Divertor Body (40mm Cartridge + Tipton Cartrdge)

MRP.: 4720



Cat. No. : ST-12

Metropole Flush Valve (Concealed Body) With Control Cock (40mm) Operation Plate (Round) 1.5"

Warranty Terms

& Conditions ·



Stepian Faucets 7 Years Warranty

- The product is warranted by STEPIAN INDUSTRIES to be free of defects in material and workmanship for a period of 7 years from the date of purchase, during this period and under normal use, if the product is found to be of faulty manufacture, the same will be repaired or replaced upon proof of purchase, at our option, without charge either for part or labour.
- The warranty will be void and not valid, and STEPIAN INDUSTRIES will have no liability if the
 product is not installed, operated or maintained and serviced in compliance with instructions
 and recommendations of STEPIAN INDUSTRIES for trouble free fittings
- Modifications, repairs or service are made to the product, nature of the product/logo has been altered, defaced or removed, or the warranty card has been altered.
- Problems arising form normal wear and tear, improper maintenance or improper use/application of product or components of the same or use of poor/bad quality of water.
- The product has been installed and operated outside its designated plumbing conditions and parameters.
- In Case of any Dispute, this Warranty is Subject to Jurisdiction of Rajkot Courts Only.

Awards

Faith is the greatest award when it comes to customer loyalty.



















Parts Of Faucets









Quarter Turn Fitting:

We use the top-class Ceramic Cartridge in the world, which is with find quality for unvarying using with quality guaranteed through 100% Water tightness tested under water pressure. The rigidity of the cartridge are high, Even under using condition with unstable water pressure, performancing life 5,00,0000 operating times are guaranteed.

All the metal parts of the internal cartridge, are made of extruded brass rod ensuring flawless performance for a longer period.

Features:

- · Standard: 1/2", 3/4" and different length
- Main Material: Brass
- Ceramic Material: Al20397%
- Water Pressure: 0.4 Mpa.
 Specially designed Ceramic Disc Cartridge of 47mm dia ensures 15-20% increase in water flow even at low pressure.

Features:

- · Maximum Opening Angle: 25°
- Maximum Rotating Angle: 100°
- · Tightening Torque of Nut: 8-12 N-m
- Temperature of Cold Water: 10°C
- Temperature of Hot Water: 75°C
- · water Pressure: 0.3 Mpa.

Specially designed for new shape. It have a good water delivery at any pressure, god handling and working as well, Still after many years.

Installation of Cartridge:

- Maximum Hot Water Temperature 80°C
- Maximum Cold Water Temperature 10°C
- · Water Pressure Minimum 0.1 bar, Maximum: 10 bar

Ceramic Disc Specification:

- · 95% Alumina | 75-85 Hardness R45N | 0% Open Porosity.
- · Operating Temperature is 5°C to 80°C
- Internal part of cartridge along with housing of extruded forged brass.
- · Uniform Water Passage is as per standard specification.
- For all range free of cost after sales services is provided by the company for 7 years for company fault only.
- Stepian use world class quality NEOPERL-Aerator for best waterflow.

Consumer Guideline

STEPIAN provides most excellent faucets with the use of contemporary technology. STEPIAN always believes in customer satisfaction. Company's skilled executives are constant interface with customers. STEPIAN also believes that consumers must get the best out of its products. Followings are the general instructions carefully followed by the consumers to get optimum results of the products.

General Instructions:

- Use 25mm pipes rather than 20mm to ensure better water flow and to overcome reduction in dia of pipeline due to scaling inside the pipeline.
- Keep the minimum number of bends in the pipelines and make it travel straight and vertical as far as possible.
- All the supply must have vent pipes. These vent pipes help in removing air-locking in the water supply to give a flow of water from the fittings.
- Test the working of all the concealed fittings installed on a high pressure for leakage before plastering or fixing the line
- Clean the aerators provided in the items at regular intervals for a perfect foam flow of water from the fittings.
- Place the outlet point in the overhead tank at least 25cm above the ground level of the tank. This prevents the flow of foreign particles, sand etc., along with water supply into the fittings and thereby preventing the possible damage to the working parts. Clean the tank thoroughly before the supply starts. It is suggested that the overhead tank must be cleaned at regular interval to avoid deposition of foreign particles.
- Clean the fittings regularly with normal soap or chalk powder to remove scaling/stains. Do not use strong detergents as this may cause damage to the chromium finish provided in all STEPIAN products.
- Do not use harsh cleaning agents containing abrasive and acids, instead use a soft sponge or wet cloth with soapy water/diluted vinegar to protect the colour coated finish.
- To protect the fine finish of fittings from dirt stains and other damages, cover them with cloth/polypackaftertheir installation till they come into actual use.
- It is suggested that centre to center distance for hot & cold inter for all types of wall mounted mixers should be maintained at 165mm in which case any of our wall mixers from different ranges can be easily installed without any problem.
- Please buy STEPIAN products from company's authorized dealers only to ensure genuine quality material.
- Insist on genuine spares from company's local service center or its authorized stockist in case of repair or replacement.
- Please strictly follow the instructions manual whenever provided for individual items in their packing boxes for their correct installation & maintenance.
- For any type of technical or service assistance, please contact the nearest STEPIAN branch office, area representative or dealer.

Experience The **Elegance Of Luxury** In Every Water Drop

F-mail:

gangaindustriesrajkot@gmail.com info@gangabathfittings.com

Web

www.gangabathfittings.com



/GangaBathFitting



/GangaBath



Ganga Bathfittings

Location

Ganga Industries, Survey No. 121, Nr. Vraj Industrial Estate, Veraval (Shapar), Pin : 360024 Dist.: Rajkot (Gujarat) INDIA.

For Inquiry

93741 93741

Customer Care Number:

76000 58000

Powered By:

