

www.gangabathfittings.com





Company Introduction

Ganga Bath Fittings Limited (Formally Known As Ganga Plast Industries Limited) is a distinguished manufacturer specializing in **luxury bathroom fittings**, committed to delivering exceptional quality and design. With a strong focus on innovation, craftsmanship, and functionality, we produce a wide range of high-end bathware products that elevate the aesthetics and performance of modern bathrooms.

Established with the vision to blend elegance with engineering excellence, Ganga Bath Fittings Limited(Formally Known As Ganga Plast Industries Limited) has grown into a trusted name in the bathware industry. Our offerings include designer faucets, showers, mixers, and accessories—each crafted using advanced manufacturing technology and premium-grade materials.

About Us

Founded with a vision to redefine elegance in modern bathrooms, **Ganga Bath Fittings Limited**(Formally Known As Ganga Plast Industries Limited) is a premier manufacturer of **luxury bathroom fittings**. With a deep-rooted commitment to quality, innovation, and design excellence, we have positioned ourselves as a trusted name in the premium bathware industry.

Our brand stands for timeless design, superior craftsmanship, and enduring performance. Every product we create reflects our passion for detail and our commitment to delivering luxury that enhances everyday life.

Vision

To be a global leader in luxury bathroom fittings, setting new benchmarks for design, durability, and sustainability.

Mission

- To manufacture world-class bath fittings that combine style with functionality.
- To constantly innovate and evolve with changing design trends.
- To ensure customer satisfaction through uncompromising quality and service.

Our Products

We offer a wide range of luxury bath fittings that cater to residential, commercial, and hospitality sectors:

- Designer Faucets
- Rain Showers & Hand Showers
- Basin Mixers
- Wall Mixers
- Concealed & Exposed Bath Systems
- Concealed Cisterns & Sanitary ware
- Advance Flushing System
- PTMT Items
- S.S. Showers & S.S.Channel Drainers & S.S.Floor Trap

Each product is manufactured using advanced technology and premium-grade materials to ensure elegance, longevity, and eco-friendliness.



Quality Assurance

At Ganga Bath Fittings Limited (Formally Known As Ganga Plast Industries Limited), quality is non-negotiable. Our products undergo rigorous testing and inspection to meet the highest industry standards. We follow Advance manufacturing processes and adhere to international norms for performance, safety, and environmental sustainability.

Manufacturing Facility

Our state-of-the-art manufacturing unit is equipped with the latest machinery and operated by skilled professionals. We emphasize precision engineering and seamless design integration to produce bath fittings that are both functional and aesthetically appealing.

Why Choose Ganga Bath Fittings Limited? (Formally Known As Ganga Plast Industries Limited)

- Premium quality with cutting-edge design
- 10-Year Warranty for peace of mind.
- Eco-friendly and water-efficient solutions
- On-time delivery and excellent after-sales service
- Strong R&D and innovation-driven approach
- Trusted by architects, interior designers, real estate developers and more then MILLIONS OF CUSTOMERS.

Warranty Guidelines

At **Ganga Bath Fittings Limited**(Formally Known As Ganga Plast Industries Limited), we stand behind the quality and durability of our **luxury bathroom fittings**. All our products are manufactured using the finest materials and cutting-edge technology to ensure long-lasting performance and customer satisfaction.

We proudly offer a **10-Year Warranty** on our bath fitting products, subject to the terms and conditions.





Customers' Faith Is The Greatest Award...











Collection



1	Kubix Prime Jet Black
3	Kubix Prime Gold
5	Kubix Prime Rose Gold
7	Kubix Prime Matt+ RG
9	Kubix Prime Matt Black
11	Flort Prime Jet Black
13	Flort Prime Gold
15	Flort Prime Rose Gold
17	Flort Prime Matt + RG
19	Flort Prime Matt Black
21	Flort Jet Black
23	Flort Gold
25	Flort Rose Gold
27	Flort Matt + RG
29	Flort Matt Black
31	Hector
33	Kubix Prime
35	Flort Prime
37	Fortuner
39	FLT
41	Flort
43	Opal
45	Ornamix
47	Sheron
49	Nector

51	Onyx
53	Astor
55	Cryston
57	Mini FLT
59	Royal
61	Liva
63	Sleek
65	Pacific
67	Rush
69	Silicon Pipe
71	Project Angular Stop Cock
72	Brass Drain Valve
73	Pressmatic Taps
74	Easy Flow
75	Spout
77	Shower
78	Telephone Shower
78	Health Faucet
79	Allied
83	Sensor Taps
83	Italian
84	Thermostatic Divertor
86	Project Divertor
88	Multi Function Divertor

KUBIX PRIME JET BLACK














































FLORT PRIME JET BLACK









FLORT PRIME GOLD










FLORT PRIME ROSE GOLD










FLORT PRIME MATT + ROSE GOLD









FLORT PRIME MATT BLACK












































































FLORT PRIME






















Introducing luxury to your bathroom.





































Adding style and function to your bathroom.


















MRP : 1213





























































































SILICON PIPE









PROJECT ANGULAR STOP COCK





BRASS DRAIN VALVE







PRESSMATIC TAPS





EASY FLOW















SHOWER (No Warranty)

Catalog No. : 918 Overhead Shower With RubitCleaning With Arm & Flange 115x115mm (4x4)	Catalog No. : 919 Overhead Shower With Rubit Cleaning With Arm & Flange 150x150mm (6x6)	Catalog I Overhead S Rubit Clea Arm & 200x200r	hower With ning With Flange	Catalog No. : 9 Overhead Shower RubitCleaning W Arm & Flange 300x300mm (12x (Square)	With Overhead Pixel Showed /ith 4x4 Square SS 304 with 12" Arm & Flange
			When.		
MRP : 3570	MRP : 4280	MRP :	5700	MRP : 12120) MRP : 2570
Catalog No. : SH008 Overhead Pixel Shower 6x6 Square SS 304 With 16" Arm & Flange	Catalog No. : SH009 Overhead Pixel Shower 8x8 Square SS 304 With 18" Arm & Flange	Catalog N Overhead 12" Roun Round Arn	d Shower nd With	Catalog No. : SI Overhead Show 12x12 Square SS304 With 21" A	ver Overhead LED Shower With Shower
MRP : 3140	MRP : 3710	MRP :	13540	MRP : 6420	0 MRP : 3000
Catalog No. : 316 Overhead Shower With Arm & Flange		r ABS (4x4)	Overhea	og No. : 122 Id Shower With n & Flange	Catalog No. : 522 Overhead Shower With Arm & Flange
		-9	Ú		
MRP : 840	MRP : 9	000	MF	RP:900	MRP : 1070
Catalog No. : 422 Overhead Shower With Arm & Flange	Catalog No Overhead S With Arm &	hower	Overh ABS	og No. : 619 lead Shower 5 5" Round Arm & Flange	Catalog No. : SH019 Overhead Shower 5 Function Multiflow With Arm & Flange
		A.	Å	*	
MRP : 1210	MRP : 9	000	MF	RP : 1190	MRP : 1960

TELEPHONE SHOWER






HEALTH FAUCET

Catalog No. : 001 Bidet Spray (Health Faucet) With 1 Mtr. Tube & Hook (Full Brass Square)	Catalog No. : 002 Bidet Spray (Health Faucet) With 1 Mtr. Tube & Hook (ABS)	Catalog No. : 003 Bidet Spray (Health Faucet) With 1 Mtr. Tube & Hook (Full Brass) (New)	Catalog No. : 046 Bidet Spray (Health Faucet) With 1 Mtr. Tube & Hook (ABS)	Catalog No. : 049 Bidet Spray (Health Faucet) With 1 Mtr. Tube & Hook (ABS)
	T	T		
MRP : 1570	MRP : 1210	MRP : 1570	MRP : 1180	MRP : 1030






Catalog No. : ALD-1010 Concealed Wall Mixer Body (15MM Cartridge)	Catalog No. : ALD-1011 Concealed Wall Mixer Body (20MM Cartridge)	Catalog No. : 006 Single Lever Conceled Divertor Body (40mm Cartridge + Tipton Cartridge)	Catalog No. : 007 High Flow Single Lever Concealed Divertor Body (45MM Cartridge +Tipton Cartridge)
MRP : 2415	MRP : 3299	MRP : 4040	MRP : 4690
Catalog No. : ALD-1012 Concealed Body For Wall Mounted Basin Spout	Catalog No. : ALD-1013 Concealed Body For Wall Mounted Single Lever Basin Mixer	Hi Flow Single Lever Concealed Body (45mm Cartridge+tip Ton Cartridge+glassy)	
And a state of the			
MRP : 2300	MRP : 3300	MRP : 4350	








SENSOR TAPS




ITALIAN (1 Year Warranty)



THERMOSTATIC DIVERTOR (1 Year Warranty)







Catalog No. : SP3003

Concealed 2 Way High Flow Bath & Shower Mixer with Thermostatic Control Cartridge

MRP: 31360







THERMOSTATIC DIVERTOR

(1 Year Warranty)



PROJECT DIVERTOR











With the latest innovative technology from GANGA, now enjoy the ultimate bathing experience even in low pressure condition.



- MADE IN INDIA-



With the latest innovative technology from GANGA, now enjoy the ultimate bathing experience even in low pressure condition.



- MADE IN INDIA-



With the latest innovative technology from GANGA, now enjoy the ultimate bathing experience even in low pressure condition.



- MADE IN INDIA-

PARTS OF FAUCET











Quarter Turn Fitting :

We use the top-class Ceramic Cartridge in the world, which is with find quality for unvarying using with quality guaranteed through 100% Water tightness tested under water pressure. The rigidity of the cartridge are high, Even under using condition with unstable water pressure, performancing life 5,00,000 operating times are guaranteed.

All the metal parts of the internal cartridge, are made of extruded brass rod ensuring flawless performance for a longer period.

Features :

- Standard : 1/2", 3/4" and different length
- Main Material : Brass
- Ceramic Material : Al20397%
- Water Pressure : 0.4 Mpa.

Specially designed Ceramic Disc Cartridge of 47mm dia ensures 15-20% increase in water flow even at low pressure.

Features :

- Maximum Opening Angle: 25°
- Maximum Rotating Angle: 100°
- Tightening Torque of Nut : 8-12 N-m
- Temperature of Cold Water: 10°C
- Temperature of Hot Water: 75°C
- water Pressure : 0.3 Mpa.

Specially designed for new shape. It have a good water delivery at any pressure, good handling and working as well, Still after many years.

Installation of Cartridge :

- Maximum Hot Water Temperature 80°C
- Maximum Cold Water Temperature 10°C
- Water Pressure Minimum 0.1 bar, Maximum : 10 bar

Ceramic Disc Specification :

- 95% Alumina | 75-85 Hardness R45N | 0% OpenPorosity
- Operating Temperature is 5°C to 80°C
- Internal part of cartridge along with housing of extruded forged brass.
- Uniform Water Passage is as per standard specification.
- For all range free of cost after sales services is provided by the company for 7 years for company fault only.
- Ganga use world class quality NEOPERL-Aerator for best water flow.

QUALITY DETAILS



Quality Policy :

Ganga is committed for achieving "Total Customer Satisfaction" Through.

- 1. Consistently supplying quality products to our valued customers in time.
- 2. Continually improving the quality standards by implementing process control and prevention techniques.
- 3. Improving manufacturing facilities.
- 4. Complying with government and Safety regulations.
- 5. Continually improve the effectiveness of quality management system.

Quality Objective :

- 1. Consistently reduce the customer complaints.
- 2. Consistently reduce the cost of product manufacturing.
- 3. Consistently reduce rejection, rework and process variations.
- 4. Improve product and process performance.

Basic Raw Material :

Particulars	As per Standard	Ganga Products
Copper	58.63%	58-61%
Lead	0.5-2.5%	1.8-2.3%
Tin	0.0-1.0%	0.2-0.4%
Nickel	0.0-1.0%	0.2-0.4%
Iron	0.0-0.8%	0.1-0.4%
Aluminum	0.0-0.8%	0.3-0.3%
Manganese	0.0-0.5%	0.06-0.07%
Zinc	Balance	Balance

Nickel Chromium Thickness :

Physical Properties	Observed
Shore Hardness "A"	70-80
Tensile Strength Kgf/CM2	180-190
Elongation %	350-400
Specify Gravity	1.20-1.25
Compression Set %	19-22

Nickel Chromium Thickness :

Particulars	As per Standard	Ganga Products
Nickel 10 Micron	10 to Micron	13 to 14 Micron
Chromium	0.3 Micron	0.3 to 0.7 Micron



General Instructions & Maintenance Guide for Customers

Thank You for Choosing Ganga Bath Fittings

We appreciate your trust in **GANGA BATH FITTINGS LIMITED**(Formally Known As Ganga Plast Industries Limited). Our products are designed for long-lasting performance, elegant aesthetics, and user comfort. To ensure optimal functionality and extended product life, please follow the general guidelines and maintenance tips below.

- Buy GANGA products from company's authorized dealers only to ensure genuine quality material.
- Insist on genuine spares from company's local service center or its authorized stockist in case of repair or replacement.
- Please strictly follow the instructions manual whenever provided for individual items in their packing boxes for their correct installation & maintenance.
- For any type of technical or service assistance, please contact the nearest GANGA branch office, area representative or dealer.

Installation Instructions

- Always have your bath fittings installed by a licensed plumber to ensure proper function and avoid damage.
- Ensure your water supply pressure is within the recommended range:
 - Minimum: 0.5 Bar
 - Maximum: 5 Bar
 - Excess pressure can damage internal components.
- Use 25mm pipes rather than 20mm to ensure better water flow and to overcome reduction in dia of pipeline due to scaling inside the pipeline.
- Keep the minimum number of bends in the pipelines and make it travel straight and vertical as far as possible.
- All the supply must have vent pipes. These vent pipes help in removing air-locking in the water supply to give a flow of water from the fittings.
- Test the working of all the concealed fittings installed on a high pressure for leakage before plastering or fixing the line.
- Place the outlet point in the overhead tank at least 25feet to 30feet above the ground level of the tank. This prevents the flow of foreign particles, sand etc., along with water supply into the fittings and thereby preventing the possible damage to the working parts. Clean the tank thoroughly before the supply starts. It is suggested that the overhead tank must be cleaned at regular interval to avoid deposition of foreign particles.
- To protect the fine finish of fittings from dirt stains and other damages, cover them with cloth/polypack after their installation till they come into actual use.
- It is suggested that centre to center distance for hot & cold inter for all types of wall mounted mixers should be maintained at 165mm in which case any of our wall mixers from different ranges can be easily installed without any problem.
- Use Appropriate Tools Avoid using heavy or sharp tools directly on the product's surface to prevent scratches or deformation.

Cleaning & Maintenance Tips

- Wipe the surface with a soft cloth and mild soap solution weekly to keep it shiny and clean.
- Do not use acids, bleach, or abrasive cleaning agents. These can damage the finish and internal components.
- Avoid using metal scrubbers or rough materials that can scratch chrome or stainless steel surfaces.
- Check for Drips or Leaks, If you notice dripping taps or showerheads, have them checked promptly to prevent water wastage and internal wear.
- Clean the aerators provided in the items at regular intervals for a perfect foam flow of water from the fittings.

WARRANTY TERMS & CONDITIONS



PRODUCTS	WARRANTY PERIOD	COMMERCIAL USE
Ganga Faucets(c.p. products & pvd coated items)	10 Years	3 Years
Thermostatic diverter	1 Year	1 Year
Sensor faucets and other commercial products	1 Year	1 Year
Sensor, Electronic Circuits and Electrical Assemble	1 Year	1 Year
Battery for Sensor Faucets	Null	Null
Showers & Health Faucets	1 Year	Null

(*Commercial Terms apply to Hotels, Restaurants, Resorts, Hospitals, Offices/Factories, Party Halls, Cinema Theatres, Educational Institutions, Gyms/Playgrounds, or any such equivalent properties)

- The product is warranted by Ganga Bath Fittings Limited(Formally Known As Ganga Plast Industries Limited) to be free of defects in material and workmanship for a period of 10 years from the Manufacturing date / Up To 6 Month From Manufacturing Date. during this period and under normal use, if the product is found to be of faulty manufacture, the same will be repaired or replaced upon proof of purchase, at our option, without charge either for part or labour.
- The warranty will be void and not valid, and Ganga Bath Fittings Limited(Formally Known As Ganga Plast Industries Limited) will have no liability if The product is not installed, operated and serviced in compliance with instructions and recommendations of Ganga Bath Fittings Limited(Formally Known As Ganga Plast Industries Limited) for trouble free fittings.
- PRODUCTS are not covered when not in use for a long period, or washrooms are closed for a long period without air circulation, thus spoiling external & internal parts.
- Modifications, repairs or service are made to the product, nature of the product/logo has been altered, defaced or removed, or the warranty card has been altered.
- Problems arising from normal wear and tear, improper maintenance or improper use/application of product or components of the same or use of poor/bad quality of water.
- To ensure long-lasting performance and prevent internal damage to bath fittings, please maintain the following water quality standards:

TDS (Total Dissolved Solids) should be below 250 mg/L Chlorine levels should be below 250 mg/L

High levels of TDS or chlorine can lead to corrosion, scaling, and reduced product lifespan, and may void the warranty if damage occurs due to poor water quality.

• Chrome finishes on our products are warranted against peeling, blistering, or corrosion due to manufacturing defects for a period of 10 years under normal residential use. To maintain the finish, customers must follow proper cleaning guidelines using mild soap and water. Damage due to abrasive cleaners or harsh chemicals is not covered.



NOT COVERED IN WARRANTY:

- Damage due to falling of building materials, improper care, poor maintenance, foul odour, contaminated air or usage of harsh chemicals & cleaning agents, unfavourable environmental condition in areas where WATER-FIXTURES are installed or exposed to radiation will cause pitting, blackening & damage to Plated Parts.
- The product has been installed and operated outside its designated plumbing conditions and parameters.
- Cleaning/ service of Aerators, Water Nozzles, Shower Nozzles, Spray Plates or External Plated/Coated Parts.
- Warranty is not Applicable in Breakages & Damages.
- Normal wear and tear (e.g., scratches, fading over time)
- Natural wear and tear (aerators, washers, rubber seals, O-rings, etc.)
- This warranty does not cover damage to the chrome finish caused by improper cleaning practices, exposure to harsh chemicals (Acid, Phynile, Harpic, vinegar, etc...), or use of abrasive materials. Discoloration, scratches, or wear caused by misuse or poor water quality (e.g., hard water or high chlorine content) are also excluded.

How to Claim Warranty

To make a warranty claim, please follow these steps:

1. Contact our Customer Support Team via: Phone: [76000 58000] Email: [customercare@gangabathfittings.com] Service Hours: Monday to Saturday, 10 AM to 7 PM

2. Provide the following information:

Proof of purchase (invoice/bill/warranty card) Product details (model number, date of purchase) Description and photos of the issue

Our service team will inspect and assess the product. If the claim is approved, the necessary action will be taken as per the warranty terms.



Warranty Terms - Total 10 Years

GANGA BATH FITTINGS LIMITED (Formally Known As Ganga Plast Industries Limited) stands by the quality and reliability of every product we manufacture. We offer a comprehensive 10year warranty structured as follows:

First 7 Years - Warranty

- Covers both parts and service.
- Applies to any manufacturing defect or functional failure under normal usage.
- Free replacement of faulty components and free service during this period.

Next 3 Years - Service Warranty Only

- Covers Plumber service only. (Parts Will Be Not Cover After 7 Year)
- Our technicians will provide service and repairs Product at free of labour charges.
- Replacement parts, if needed, will be charged as per actual cost.

Note: This Terms of Warranty Will Be Applicable After The Purchase From 1st June 2025.

CAUTION:

- Improper/ poor drainage or poor gas exhaust vent will retain harsh odours/ chemical clouds.
- Also, use of harsh cleaning chemicals/ harsh phenyls in bathrooms with poor ventilation, will lead to formation of black spots or blackening of plated parts of WATER-FIXTURES or other metallic objects in bathrooms.
- Replacement of parts under warranty does not renew or extend the original warranty period.

SERVICE LIMITATIONS:

- Ganga Bath Fittings Limited(Formally Known As Ganga Plast Industries Limited) Service Providers will not be responsible & will not be able to provide service/ carry out repairs in case of inability to approach Main Water Valves or shut down water supply in the said bathroom/ washroom.
- Company will provide service/ repairs within reasonable time. However, for reasons beyond control, like unavailability of Service Technicians, spares or special tools required for service/ repair or any other reasons, Company shall not be responsible or be liable for any claim or compensation for the same.
- In case of replacement of Product/ Assemblies/ Parts, Company reserves the right to alter/ change product design/ material in view of improvements without prior notice & without any prejudice as per Product/ Parts in production or as per availability.

NOTE:


- This warranty is valid only within the country of original purchase and is nontransferable. Ganga Bath Fittings Limited (Formally Known As Ganga Plast Industries Limited) reserves the right to make the final decision on warranty claims.
- In Case of any Dispute, this Warranty is Subject to Jurisdiction of Rajkot Courts Only.





"Art in every outline, trust in every drop - Ganga."





SAVE WATER SAVE LIFE



GANGA BATH FITTINGS LIMITED

Formerly Known As Ganga Plast Industries Limited CIN NO. : U22204GJ2024PLC151770

Registered Address : NR. VRUJ IND. EST, OPP. Khodiyar Agri FLR MIL, Veraval (Shapar), Rajkot, Kotda Sanghani,Gujarat, India, 360024

12

GANGA

H

For Complaint +91 76000 58000

For Inquiry +91 93741 93741

E-mail gangaindustriesrajkot@gmail.com

Web www.gangabathfittings.com



- o /ganga_bath_fittings_limited
- /GangaBathFittingsLimited
- Ganga Bath Fittings Limited

