

INNOVATIVE
DESIGN





INDULGE IN
LUXURY
AND ELEVATE
YOUR EVERYDAY
EXPERIENCE
WITH
**OUR PREMIUM
FAUCETS**

We have become a trusted name in the faucet market. We are dedicated to providing our customers with reliable, durable faucets that are built to last.

Our products are crafted with the latest technologies and materials, and we are committed to sustainable manufacturing practices that reduce our environmental impact. Our team of expert designers and engineers work tirelessly to create faucets that meet the needs of our customers.

At the heart of our brand are our core values: quality, design, and innovation. We believe that a great faucet should not only look beautiful, but also function flawlessly. our faucets are designed to meet the highest standards of performance and style.

INNOVATION MEETS
BEAUTY IN
OUR **WIDE RANGE** OF
FAUCET OPTIONS





BEAUTY IN OUR
FAUCETS

Table Of **Content**



Rubic Collection
06-07



Opera Collection
08-09



Bliss Collection
10-11



Nexus Collection
12-13



Orion Collection
14-15



**Spout & Allied
Collection**
16-17

Rubic Collection (15 MM Cartridge)



Design That Inspires,
Quality That Endures.



Cat. No. : ST-101

Bib Cock With Wall Flange

MRP. : 800



Cat. No. : ST-102

Pillar Cock

MRP. : 1160



Cat. No. : ST-103

Angular Stop Cock With Flange

MRP. : 600



Cat. No. : ST-104

Bib Cock Long Body
With Wall Flange

MRP. : 890



Cat. No. : ST-105

2 in 1 Bib Cock With Wall Flange

MRP. : 1120

NEW



Cat. No. : ST-106-P

Exposed Part For Concealed
Stop Cock With Wall Flange
(compatible - St-1001)

MRP. : 460



Cat. No. : ST-107

Sink Cock With
Regular Swinging Spout
(Wall Mounted)

MRP. : 1650



Cat. No. : ST-108

Sink Cock With
Regular Swinging Spout
(Table Mounted)

MRP. : 1820



Cat. No. : ST-109
 Sink Mixer With Regular Swinging Spout (Wall Mounted)

MRP. : 3530



Cat. No. : ST-110
 Wall Mixer With Bend For Arrangement Of Overhead Shower

MRP. : 4700

NEW



Cat.No. : ST-112-P
 Exposed Part For Flush Cock With Wall Flange (compatible - St-1002/st-1003)

MRP. : 650



Cat. No. : ST-113
 Single Lever Concealed Divertor Upper Parts (Handle + Flange + Sleeve + Tiptop Parts)

MRP. : 1450

NEW



Cat. No. : ST-114-P
 Exposed Part High Flow Single Lever Concealed Divertor Upper Parts (Handle + Flange + Tiptop Parts)

MRP. : 1950



Cat. No. : ST-115
 Pillar Cock With Extension Body

MRP. : 2200



Cat. No. : ST-116
 Central Hole Basin Mixer With Regular Spout With 450 mm Braided Hoses

MRP. : 3090



Cat. No. : ST-117
 Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) LEFT

MRP. : 2080



Cat. No. : ST-118
 Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) RIGHT

MRP. : 2080



Cat. No. : ST-119
 2 way Angle Cock

MRP. : 1300



Cat. No. : ST-120
 Nozzle Bib Cock

MRP. : 860

NEW



Cat. No. : ST-121-P
 Exposed Part For Concealed Wall Mixer With Wall Flange (compatible - St-1004)

MRP. : 2230

NEW



Cat. No. : ST-123
 Single Level Concealed Divertor Body + Upper Parts (Complete Set) (40 mm Cartridge)

MRP. : 5250

Opera Collection (15 MM Cartridge)



Turn Your Kitchen Or
Bathroom
Into A **Haven Of Luxury.**



Cat. No. : ST-201

Bib Cock With Wall Flange

MRP. : 840



Cat. No. : ST-202

Pillar Cock

MRP. : 1210



Cat. No. : ST-203

Angular Stop Cock With Flange

MRP. : 660



Cat. No. : ST-204

Bib Cock Long Body
With Wall Flange

MRP. : 950



Cat. No. : ST-205

2 in 1 Bib Cock With Wall Flange

MRP. : 1160

NEW



Cat. No. : ST-206-P

Exposed Part For Concealed
Stop Cock With Wall Flange
(compatible - St-1001)

MRP. : 510



Cat. No. : ST-207

Sink Cock With
Regular Swinging Spout
(Wall Mounted)

MRP. : 1710



Cat. No. : ST-208

Sink Cock With
Regular Swinging Spout
(Table Mounted)

MRP. : 1860



Cat. No. : ST-209
 Sink Mixer With Regular Swinging Spout (Wall Mounted)

MRP. : 3660



Cat. No. : ST-210
 Wall Mixer With Bend For Arrangement Of Overhead Shower

MRP. : 4800

NEW



Cat. No. : ST-212-P
 Exposed Part For Flush Cock With Wall Flange (compatible - St-1002/st-1003)

MRP. : 700



Cat. No. : ST-213
 Single Lever Concealed Divertor Upper Parts (Handle + Flange + Sleeve + Tiptop Parts)

MRP. : 1450

NEW



Cat. No. : ST-214-P
 Exposed Part High Flow Single Lever Concealed Divertor Upper Parts (Handle + Flange + Tiptop Parts)

MRP. : 1950



Cat. No. : ST-215
 Pillar Cock With Extension Body

MRP. : 2230



Cat. No. : ST-216
 Central Hole Basin Mixer With Regular Spout With 450 mm Braided Hoses

MRP. : 3220



Cat. No. : ST-217
 Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) LEFT

MRP. : 2130



Cat. No. : ST-218
 Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) RIGHT

MRP. : 2130



Cat. No. : ST-219
 2 way Angle Cock

MRP. : 1410



Cat. No. : ST-220
 Nozzle Bib Cock

MRP. : 920

NEW



Cat. No. : ST-221-P
 Exposed Part For Concealed Wall Mixer With Wall Flange (compatible - St-1004)

MRP. : 2260

Bliss Collection (15 MM Cartridge)



Grabbing Attention
Every Time.



Cat. No. : ST-301
Bib Cock With Wall Flange

MRP. : 870



Cat. No. : ST-302
Pillar Cock

MRP. : 1180



Cat. No. : ST-303
Angular Stop Cock With Flange

MRP. : 630



Cat. No. : ST-304
Bib Cock Long Body
With Wall Flange

MRP. : 980



Cat. No. : ST-305
2 in 1 Bib Cock With Wall Flange

MRP. : 1070

NEW



Cat. No. : ST-306-P
Exposed Part For Concealed
Stop Cock With Wall Flange
(compatible - St-1001)

MRP. : 470



Cat. No. : ST-307
Sink Cock With
Regular Swinging Spout
(Wall Mounted)

MRP. : 1670



Cat. No. : ST-308
Sink Cock With
Regular Swinging Spout
(Table Mounted)

MRP. : 1830



Cat. No. : ST-309
 Sink Mixer With Regular Swinging Spout (Wall Mounted)

MRP. : 3610



Cat. No. : ST-310
 Wall Mixer With Bend For Arrangement Of Overhead Shower

MRP. : 4790

NEW



Cat. No. : ST-312-P
 Exposed Part For Flush Cock With Wall Flange (compatible - St-1002/st-1003)

MRP. : 670



Cat. No. : ST-313
 Single Lever Concealed Divertor Upper Parts (Handle + Flange + Sleeve + Tiptop Parts)

MRP. : 1570

NEW



Cat. No. : ST-314-P
 Exposed Part High Flow Single Lever Concealed Divertor Upper Parts (Handle + Flange + Tiptop Parts)

MRP. : 2090



Cat. No. : ST-315
 Pillar Cock With Extension Body

MRP. : 2330



Cat. No. : ST-316
 Central Hole Basin Mixer With Regular Spout With 450 mm Braided Hoses

MRP. : 3140



Cat. No. : ST-317
 Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) LEFT

MRP. : 2100



Cat. No. : ST-318
 Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) RIGHT

MRP. : 2090



Cat. No. : ST-319
 2 way Angle Cock

MRP. : 1350



Cat. No. : ST-320
 Nozzle Bib Cock

MRP. : 890

NEW



Cat. No. : ST-321-P
 Exposed Part For Concealed Wall Mixer With Wall Flange (compatible - St-1004)

MRP. : 2300

Nexus Collection (15 MM Cartridge)



Innovative Designs
For Modern Living.



Cat. No. : ST-401

Bib Cock With Wall Flange

MRP. : 900



Cat. No. : ST-402

Pillar Cock

MRP. : 1200



Cat. No. : ST-403

Angular Stop Cock With Flange

MRP. : 650



Cat. No. : ST-404

Bib Cock Long Body
With Wall Flange

MRP. : 1000



Cat. No. : ST-405

2 in 1 Bib Cock With Wall Flange

MRP. : 1060

NEW



Cat. No. : ST-406-P

Exposed Part For Concealed
Stop Cock With Wall Flange
(compatible - St-1001)

MRP. : 500



Cat. No. : ST-407

Sink Cock With
Regular Swinging Spout
(Wall Mounted)

MRP. : 1710



Cat. No. : ST-408

Sink Cock With
Regular Swinging Spout
(Table Mounted)

MRP. : 1860



Cat. No. : ST-409
 Sink Mixer With Regular Swinging Spout (Wall Mounted)

MRP. : 3660



Cat. No. : ST-410
 Wall Mixer With Bend For Arrangement Of Overhead Shower

MRP. : 4860



NEW

Cat. No. : ST-412-P
 Exposed Part For Flush Cock With Wall Flange (compatible - St-1002/st-1003)

MRP. : 700



Cat. No. : ST-413
 Single Lever Concealed Divertor Upper Parts (Handle + Flange + Sleeve + Tiptop Parts)

MRP. : 1570

NEW



Cat. No. : ST-414-P
 Exposed Part High Flow Single Lever Concealed Divertor Upper Parts (Handle + Flange + Tiptop Parts)

MRP. : 2090



Cat. No. : ST-415
 Pillar Cock With Extension Body

MRP. : 2360



Cat. No. : ST-416
 Central Hole Basin Mixer With Regular Spout With 450 mm Braided Hoses

MRP. : 3190



Cat. No. : ST-417
 Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) LEFT

MRP. : 2120



Cat. No. : ST-418
 Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) RIGHT

MRP. : 2120



Cat. No. : ST-419
 2 Way Angle Cock

MRP. : 1410



Cat. No. : ST-420
 Nozzle Bib Cock

MRP. : 920

NEW



Cat. No. : ST-421-P
 Exposed Part For Concealed Wall Mixer With Wall Flange (compatible - St-1004)

MRP. : 2320

NEW



Cat. No. : ST-423
 Single Level Concealed Divertor Body + Upper Parts (Complete Set) (40 mm Cartridge)

MRP. : 5250

Orion Collection (15 MM Cartridge)



Serving Your **Need**
As Your **Demand.**



Cat. No. : ST-501

Bib Cock With Wall Flange

MRP. : 900



Cat. No. : ST-502

Pillar Cock

MRP. : 1100



Cat. No. : ST-503

Angular Stop Cock With Flange

MRP. : 590



Cat. No. : ST-504

Bib Cock Long Body
With Wall Flange

MRP. : 1050



Cat. No. : ST-505

2 Way Bib Cock With Wall Flange

MRP. : 1480

NEW



Cat. No. : ST-506-P

Exposed Part For Concealed
Stop Cock With Wall Flange
(compatible - St-1001)

MRP. : 440



Cat. No. : ST-507

Sink Cock With
Regular Swinging Spout
(Wall Mounted)

MRP. : 1640



Cat. No. : ST-508

Sink Cock With
Regular Swinging Spout
(Table Mounted)

MRP. : 1770



Cat. No. : ST-509
 Sink Mixer With Regular Swinging Spout (Wall Mounted)

MRP. : 3550



Cat. No. : ST-510
 Wall Mixer With Bend For Arrangement Of Overhead Shower

MRP. : 4690

NEW



Cat. No. : ST-512-P
 Exposed Part For Flush Cock With Wall Flange (compatible - St-1002/st-1003)

MRP. : 660



Cat. No. : ST-515
 Pillar Cock With Extension Body

MRP. : 2380



Cat. No. : ST-516
 Central Hole Basin Mixer With Regular Spout With 450 mm Braided Hoses

MRP. : 3070



Cat. No. : ST-517
 Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) LEFT

MRP. : 2060



Cat. No. : ST-518
 Sink Cock With Regular Swinging Spout With Wall Flange (Wall Mounted) RIGHT

MRP. : 2060



Cat. No. : ST-519
 2 Way Angle Cock

MRP. : 1290



Cat. No. : ST-520
 Nozzle Bib Cock

MRP. : 860

NEW



Cat. No. : ST-521-P
 Exposed Part For Concealed Wall Mixer With Wall Flange (compatible - St-1004)

MRP. : 2340

Spout Collection



Cat. No. : ST-01
Bath Tub Spout With Wall Flange


MRP. : 1130



Cat. No. : ST-02
Bath Tub Spout With Wall Flange

MRP. : 1600

Allied Collection



Cat. No. : ST-11
Single Lever Concealed Divertor Body
(40mm Cartridge + Tipton Cartridge)

MRP. : 4720



Cat. No. : ST-12
Metropole Flush Valve (Concealed Body)
With Control Cock (40mm)
Operation Plate (Round) 1.5"

MRP. : 4030



Cat. No. : ST-1001
Concealed Stop
Cock Body
(15mm Cartridge)

MRP. : 660




Cat. No. : ST-1002
Flush Cock With
Washer System
Body (h/t)

MRP. : 1122



Cat. No. : ST-1003
Flush Cock With
Washer System
Body (h/t) - Heavy

MRP. : 1557



Cat. No. : ST-1004
Concealed Wall
Mixer Body
(15mm Cartridge)

MRP. : 2415



Cat. No. : ST-1005
Hi Flow Single Lever Concealed
Diverter Body + Cartridge + glassy
(45mm Cartridge)

MRP. : 4900

Parts Of Faucets



Quarter Turn Fitting :

We use the top-class Ceramic Cartridge in the world, which is with fine quality for unvarying use with quality guaranteed through 100% Water tightness tested under water pressure. The rigidity of the cartridge is high, Even under using condition with unstable water pressure, performing life 5,00,000 operating times are guaranteed.

All the metal parts of the internal cartridge, are made of extruded brass rod ensuring flawless performance for a longer period.

Features :

- Standard : 1/2", 3/4" and different length
- Main Material : Brass
- Ceramic Material : Al₂O₃ 99%
- Water Pressure : 0.4 Mpa.

Specially designed Ceramic Disc Cartridge of 47mm dia ensures 15-20% increase in water flow even at low pressure.



Features :

- Maximum Opening Angle : 25°
- Maximum Rotating Angle : 100°
- Tightening Torque of Nut : 8-12 N·m
- Temperature of Cold Water : 10°C
- Temperature of Hot Water : 75°C
- Water Pressure : 0.3 Mpa.

Specially designed for new shape. It has a good water delivery at any pressure, good handling and working as well, Still after many years.



Installation of Cartridge :

- Maximum Hot Water Temperature 80°C
- Maximum Cold Water Temperature 10°C
- Water Pressure Minimum 0.1 bar, Maximum : 10 bar



Ceramic Disc Specification :

- 95% Alumina | 75-85 Hardness R45N | 0% Open Porosity.
- Operating Temperature is 5°C to 80°C
- Internal part of cartridge along with housing of extruded forged brass.
- Uniform Water Passage is as per standard specification.
- For all range free of cost after sales services is provided by the company for 7 years for company fault only.
- Stepian use world class quality NEOPERL-Aerator for best water flow.

General Instructions & Maintenance Guide for Customers

Thank You for Choosing STEPIAN

We appreciate your trust in STEPIAN By GANGA BATH FITTINGS LIMITED (Formally Known As Ganga Plast Industries Limited). Our products are designed for long-lasting performance, elegant aesthetics, and user comfort. To ensure optimal functionality and extended product life, please follow the general guidelines and maintenance tips below.

- Buy STEPIAN products from company's authorized dealers only to ensure genuine quality material.
- Insist on genuine spares from company's local service center or its authorized stockist in case of repair or replacement.
- Please strictly follow the instructions manual whenever provided for individual items in their packing boxes for their correct installation & maintenance.
- For any type of technical or service assistance, please contact the nearest STEPIAN/GANGA branch office, area representative or dealer.

Installation Instructions

- Always have your bath fittings installed by a licensed plumber to ensure proper function and avoid damage.
- Ensure your water supply pressure is within the recommended range:
 - Minimum: 0.5 Bar
 - Maximum: 5 BarExcess pressure can damage internal components.
- Use 25mm pipes rather than 20mm to ensure better water flow and to overcome reduction in dia of pipeline due to scaling inside the pipeline.
- Keep the minimum number of bends in the pipelines and make it travel straight and vertical as far as possible.
- All the supply must have vent pipes. These vent pipes help in removing air-locking in the water supply to give a flow of water from the fittings.
- Test the working of all the concealed fittings installed on a high pressure for leakage before plastering or fixing the line.
- Place the outlet point in the overhead tank at least 25feet to 30feet above the ground level of the tank. This prevents the flow of foreign particles, sand etc., along with water supply into the fittings and thereby preventing the possible damage to the working parts. Clean the tank thoroughly before the supply starts. It is suggested that the overhead tank must be cleaned at regular interval to avoid deposition of foreign particles.
- To protect the fine finish of fittings from dirt stains and other damages, cover them with cloth/polypack after their installation till they come into actual use.
- It is suggested that centre to center distance for hot & cold inter for all types of wall mounted mixers should be maintained at 165mm in which case any of our wall mixers from different ranges can be easily installed without any problem.
- Use Appropriate Tools
Avoid using heavy or sharp tools directly on the product's surface to prevent scratches or deformation.

Cleaning & Maintenance Tips

- Wipe the surface with a soft cloth and mild soap solution weekly to keep it shiny and clean.
- Do not use acids, bleach, or abrasive cleaning agents. These can damage the finish and internal components.
- Avoid using metal scrubbers or rough materials that can scratch chrome or stainless steel surfaces.
- Check for Drips or Leaks, If you notice dripping taps or showerheads, have them checked promptly to prevent water wastage and internal wear.
- Clean the aerators provided in the items at regular intervals for a perfect foam flow of water from the fittings.

Warranty Terms & Conditions :

PRODUCTS	WARRANTY PERIOD	COMMERCIAL USE
Stepian Faucets(c.p. products)	10 Years	3 Years

(*Commercial Terms apply to Hotels, Restaurants, Resorts, Hospitals, Offices/Factories, Party Halls, Cinema Theatres, Educational Institutions, Gyms/Playgrounds, or any such equivalent properties)

- The product is warranted by STEPIAN by Ganga Bath Fittings Limited(Formerly Known As Ganga Plast Industries Limited) to be free of defects in material and workmanship for a period of 10 years from the Manufacturing date / Up To 6 Month From Manufacturing Date. during this period and under normal use, if the product is found to be of faulty manufacture, the same will be repaired or replaced upon proof of purchase, at our option, without charge either for part or labour.
- The warranty will be void and not valid, and STEPIAN by Ganga Bath Fittings Limited(Formerly Known As Ganga Plast Industries Limited) will have no liability if The product is not installed, operated and serviced in compliance with instructions and recommendations of STEPIAN by Ganga Bath Fittings Limited(Formerly Known As Ganga Plast Industries Limited) for trouble free fittings.
- PRODUCTS are not covered when not in use for a long period, or washrooms are closed for a long period without air circulation, thus spoiling external & internal parts.
- Modifications, repairs or service are made to the product, nature of the product/logo has been altered, defaced or removed, or the warranty card has been altered.
- Problems arising from normal wear and tear, improper maintenance or improper use/application of product or components of the same or use of poor/bad quality of water.
- To ensure long-lasting performance and prevent internal damage to bath fittings, please maintain the following water quality standards:

TDS (Total Dissolved Solids) should be below 250 mg/L
Chlorine levels should be below 250 mg/L

High levels of TDS or chlorine can lead to corrosion, scaling, and reduced product lifespan, and may void the warranty if damage occurs due to poor water quality.

- Chrome finishes on our products are warranted against peeling, blistering, or corrosion due to manufacturing defects for a period of 10 years under normal residential use. To maintain the finish, customers must follow proper cleaning guidelines using mild soap and water. Damage due to abrasive cleaners or harsh chemicals is not covered.

NOT COVERED IN WARRANTY:

- Damage due to falling of building materials, improper care, poor maintenance, foul odour, contaminated air or usage of harsh chemicals & cleaning agents, unfavourable environmental condition in areas where WATER-FIXTURES are installed or exposed to radiation will cause pitting, blackening & damage to Plated Parts.
- The product has been installed and operated outside its designated plumbing conditions and parameters.
- Cleaning/ service of Aerators, Water Nozzles, Shower Nozzles, Spray Plates or External Plated/Coated Parts.
- Warranty is not Applicable in Breakages & Damages.
- Normal wear and tear (e.g., scratches, fading over time)
- Natural wear and tear (aerators, washers, rubber seals, O-rings, etc.)
- This warranty does not cover damage to the chrome finish caused by improper cleaning practices, exposure to harsh chemicals (Acid, Phynile, Harpic, vinegar, etc..), or use of abrasive materials. Discoloration, scratches, or wear caused by misuse or poor water quality (e.g., hard water or high chlorine content) are also excluded.

How to Claim Warranty

To make a warranty claim, please follow these steps:

1. Contact our Customer Support Team via:
 Phone: [76000 58000]
 Email: [customercare@gangabathfittings.com]
 Service Hours: Monday to Saturday, 10 AM to 7 PM
2. Provide the following information:
 Proof of purchase (invoice/bill/warranty card)
 Product details (model number, date of purchase)
 Description and photos of the issue

Our service team will inspect and assess the product. If the claim is approved, the necessary action will be taken as per the warranty terms.

Warranty Terms – Total 10 Years

STEPAN by GANGA BATH FITTINGS LIMITED (Formally Known As Ganga Plast Industries Limited) stands by the quality and reliability of every product we manufacture. We offer a comprehensive 10-year warranty structured as follows:

First 7 Years – Warranty

- Covers both parts and service.
- Applies to any manufacturing defect or functional failure under normal usage.
- Free replacement of faulty components and free service during this period.

Next 3 Years – Service Warranty Only

- Covers Plumber service only. (Parts Will Be Not Cover After 7 Year)
- Our technicians will provide service and repairs Product at free of labour charges.
- Replacement parts, if needed, will be charged as per actual cost.

Note: This Terms of Warranty Will Be Applicable After The Purchase From 1st June 2025.

CAUTION:

- Improper/ poor drainage or poor gas exhaust vent will retain harsh odours/ chemical clouds.
- Also, use of harsh cleaning chemicals/ harsh phenyls in bathrooms with poor ventilation, will lead to formation of black spots or blackening of plated parts of WATER-FIXTURES or other metallic objects in bathrooms.
- Replacement of parts under warranty does not renew or extend the original warranty period.

SERVICE LIMITATIONS:

- STEPIAN by Ganga Bath Fittings Limited (Formally Known As Ganga Plast Industries Limited) Service Providers will not be responsible & will not be able to provide service/ carry out repairs in case of inability to approach Main Water Valves or shut down water supply in the said bathroom/ washroom.
- Company will provide service/ repairs within reasonable time. However, for reasons beyond control, like unavailability of Service Technicians, spares or special tools required for service/ repair or any other reasons, Company shall not be responsible or be liable for any claim or compensation for the same.
- In case of replacement of Product/ Assemblies/ Parts, Company reserves the right to alter/ change product design/ material in view of improvements without prior notice & without any prejudice as per Product/ Parts in production or as per availability.
- Free service (under warranty) will be available within the municipal limits of the city where STEPIAN by Ganga Bath Fittings Limited (Formally Known As Ganga Plast Industries Limited) has an authorized dealer/ representative / franchisee; otherwise, visit charges, conveyance & other incidental charges, which will be intimated by the Ganga Bath Fittings Limited (Formally Known As Ganga Plast Industries Limited) Customer Care Team, are payable in advance by the customer.

NOTE:

- This warranty is valid only within the country of original purchase and is non-transferable. STEPIAN by Ganga Bath Fittings Limited (Formally Known As Ganga Plast Industries Limited) reserves the right to make the final decision on warranty claims.
- In Case of any Dispute, this Warranty is Subject to Jurisdiction of Rajkot Courts Only.

Awards

Faith is the greatest award when it comes to customer loyalty.



SAVE WATER
SAVE LIFE



Experience The Elegance Of Luxury In Every Water Drop

GANGA BATH FITTINGS LIMITED

Formerly Known As

Ganga Plast Industries Limited

CIN NO. : U22204GJ2024PLC151770

E-mail :

gangaindustriesrajkot@gmail.com
info@gangabathfittings.com

Registered Address :

NR. VRUJ IND. EST, OPP. Khodiyar Agri FLR MIL,
Veraval (Shapar), Rajkot, Kotda Sanghani,
Gujarat, India, 360 024.

Web :

www.gangabathfittings.com

For Inquiry :

93741 93741



/GangaBathFitting



/GangaBath



Ganga Bathfittings

Customer Care Number :

76000 58000

Powered By:

GANGA™
Redefining Bathing Experience